

ORDINANCE C-25-00

AN ORDINANCE TO AMEND SECTION 1136.06(d) OF THE CODIFIED ORDINANCES OF GROVE CITY, OHIO, TITLED INTERIOR VEHICULAR USE AREAS

WHEREAS, from time to time there is a need to make amendments to various sections of the Code; and

WHEREAS, it is necessary to make an adjustment in the island requirements between parking spaces to accommodate smaller parking lots.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF GROVE CITY, STATE OF OHIO, THAT:

SECTION 1. Section 1136.06(d) which reads:

- (d) Interior Vehicular Use Areas. Within interior vehicular use areas peninsulas, islands, aisle end islands, and planting areas are to be constructed for landscape plantings as shown on Exhibit C (Interior Landscaping Requirements for Off-Street Surface Parking Lots). Each peninsula, island, aisle end island, or planting area is to contain at least one, 2" minimum caliper large or medium class tree. Islands, peninsulas, aisle end islands, and planting areas are to be located at intervals not to exceed fifteen parking spaces. All parking aisles are to be terminated with an end island or planting bed. Peninsulas, islands, and aisle end islands are to be minimum sizes of eight feet (8') in width and thirty-six feet (36') in length, or eight feet (8') in width and eighteen feet (18') in length, as shown on Exhibit C. Planting areas, peninsulas, islands and aisle end islands which may include lighting fixtures are to be constructed to accommodate landscaping requirements.(Ord. C58-98; passed 11/17/97; C17-99, passed 7/6/99)

IS HEREBY AMENDED TO READ:


- (d) Interior Vehicular Use Areas. Within interior vehicular use areas peninsulas, islands, aisle end islands, and planting areas are to be constructed for landscape plantings as shown on Exhibit C (Interior Landscaping Requirements for Off-Street Surface Parking Lots). Each peninsula, island, aisle end island, or planting area is to contain at least one, 2" minimum caliper large or medium class tree. Islands, peninsulas, aisle end islands, and planting areas are to be located *as follows: Between 25 and 42 spaces, one (1) island required; between 43 and 60, two (2) islands required; beginning with 61, one island shall be added for each additional 15 spaces. Where islands are required, there shall be a maximum of 21 consecutive spaces. Parking aisles shall be defined as a row of parking spaces beginning and ending with either a peninsula, isle end island, planting area, or a drive aisle.* All parking aisles, *of 7 spaces or less, may be terminated with a drive isle, unless end is adjacent to a curb cut.* Peninsulas, islands, and aisle end islands are to be minimum sizes of eight feet (8') in width and thirty-six feet (36') in length, or eight feet (8') in width and eighteen feet (18') in length, as shown on Exhibit C. Planting areas, peninsulas, islands and aisle end islands which may include lighting fixtures are to be constructed to accommodate landscaping requirements.(Ord. C58-98; passed 11/17/97; C17-99, passed 7/6/99; C25-00, passed 8/21/00)

SECTION 2. This ordinance shall take effect at the earliest opportunity allowed by law.


Passed: 8-21-00
Effective: 9-20-00



Steven M. Bennett, President of Council



Cheryl L. Grossman, Mayor

Attest: 

Tami K. Kelly CMC/AAE, Clerk of Council

I Certify that this ordinance is correct as to form. 

Thomas R. Clark, Director of Law